


FIG. 1



2/8

FIG.2






FIG.3



This exploded perspective view illustrates the assembly of a mechanical device. The components are numbered as follows:

- 3**: A vertical post or pin.
- 5**: A cylindrical component with a flange.
- 7**: A small cylindrical pin or shaft.
- 8**: A flange or end cap.
- 9**: A bracket or housing component.
- 10**: A curved, ribbed component, possibly a spring or a guide.
- 11**: A small cylindrical pin or shaft.
- 12**: A rectangular plate or base.
- 13**: A small cylindrical pin or shaft.
- 15**: A small rectangular component.
- 16**: A screw or bolt.
- 17**: A small rectangular component.
- 18**: A rectangular plate or base.
- 18a**: A small rectangular component.
- 19**: A curved, ribbed component, possibly a spring or a guide.
- 19a**: A small rectangular component.
- 20**: A small cylindrical pin or shaft.
- 21**: A screw or bolt.
- 22**: A small rectangular component.
- 23**: A small ring or washer.
- 24**: A small rectangular component.
- 25**: A small ring or washer.
- 26**: A small cylindrical pin or shaft.
- 28**: A flange or end cap.

FIG.5



6/8

FIG.6A





FIG.6B



7/8

FIG. 7




FIG.8

